



Dhyey
INDUSTRIES



■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)

■ Adjustable Earth Clamps




- High performance earth clamp is widely used to connect the pipes to conductor for earthing. Available in three colours - Red for non-corrosive dry atmospheres, Blue or Green for corrosive or humid conditions. Available in three standard band lengths.

Code No	Pipe Diameter	Strip Length
EC-14/1	12mm to 32mm	150mm
EC-14/2	32mm to 50mm	220mm
EC-14/3	50mm to 75mm	330mm
EC-15/1	12mm to 32mm	150mm
EC-15/2	32mm to 50mm	220mm
EC-15/3	50mm to 75mm	330mm

- **Material** : Brass / Bronze
- **Standard** : BS-951
- **Terminal size - A-D 2.5 - 10mm²**
- **Strip** : SS304 (Deburring)
- **Aluminum Label** : White/Green/Blue/Red

■ Earthing Band Clamps




Code/Ref.	Pipe/Tube Dia.	Strip Length	Terminal Section (mm ²)
12	12 to 32mm	120mm	2.5 mm ² - 16 mm ²
19	18 to 50mm	190mm	2.5 mm ² - 16 mm ²
42	18 to 115mm	420mm	2.5 mm ² - 16 mm ²
58	28 to 165mm	580mm	2.5 mm ² - 16 mm ²

- **Material** : Steel / Stainless Steel
- **Strip** : SS304 (Deburring)

■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)

■ Earth Tags



- Accessories for cable glands, Earth Tags installed between the Cable Gland and equipment, provide an earth bond connection.

Metric Size	NPT Size	Thickness
M16	1/2"	1.3mm
M20	3/4"	1.3mm
M25	1"	1.5mm
M32	1 1/4"	1.5mm
M40	1 1/2"	1.5mm
M50	2"	1.5mm
M63	2 1/2"	1.5mm
M75	3"	1.5mm
M90	3 1/2"	2.0mm
M100		2.0mm

■ Flat Tape Clips / Saddles



- These are used to secure copper / Aluminum tape to the building. The clip has a hole in the base a fixing to wall / structure with a appropriate screw and plug.

Flat Tape Size
25 x 3mm
38 x 3mm
50 x 3mm

■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)

■ LSOH Cable Clips

Designed for use on mineral insulated or soft skin fire Cables. Clips are ideal for One cable fixing which is use high risk applications.



Part No.	Cable mm ²	Cable Diameter
RCHL-26	2L 1.0	6.6mm
RCHL-28	2L 1.5/3L 1.0	7.3mm
RCHL-30	3L 1.5/4L 1.0	7.9mm
RCHL-32	2L 2.5	8.1mm
RCHL-34	3L 2.5/4L 1.5	9.0mm
RCHL-37	2L 4.0/4L 2.5/7L 1.0	9.8mm
RCHL-40	7L 1.5/2H 2.5	10.4mm
RCHL-43	7L 2.5/1H 25	11.5mm
RCHL-47	1H 35 / 2H 6.0	12.6mm
RCHL-51	3H 6.0	13.2mm
RCHL-54	1H 50 / 2H 10	14.4mm
RCHL-59	1H 70 / 3H 10	15.4mm

- **Fixing Clip Material** : Copper
- **Coating** : Polyester Powder Coating, Halogen Free, Low Smoke and Fume, Fire Resistant
- **Color** : Red / Orange / White / Black

■ LSOH Saddles



Designed for use on mineral insulated or soft skin fire Cables. Saddles are ideal for Two Way Cable fixing which is use high risk applications.

Part No.	Cable mm ²	Cable Diameter
RCFL-272	2L 1.0	6.6mm X 2
RCFL-302	2L 1.5/3L 1.0	7.3mm X 2
RCFL-342	2L 2.5/3L 1.5/4L 1.5	8.1mm X 2
RCFL-382	2L 4.0/7L 1.0/2H 1.5	9.6mm X 2
RCFL-422	4L 2.5/7L 1.5/1H16	10.0mm X 2
RCFL-462	7L 2.5/1H25	11.4mm X 2
RCFL-502	1H35 / 2H6.0	12.6mm X 2
RCFL-542	1H50 / 3H6.0	13.2mm X 2
RCFL-592	2H10 / 4H6.0	14.4mm X 2

- **Two Way Saddle Material** : Copper
- **Coating** : Polyester Powder Coating, Halogen Free, Low Smoke and Fume, Fire Resistant
- **Color** : Red / Orange / White / Black



■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)

■ One Hole Clip




- Cable Clip are copper sheet metal products and made of high grade Electrolytic Copper, These used for fixing cable connectors,

Cable-Wire Size
25mm ²
35mm ²
50mm ²
70mm ²
95mm ²
120mm ²
150mm ²
185mm ²
240mm ²
300mm ²

Material : copper electrolytic, BS EN - 13601,C -101


■ Copper Busbars



- **Busbar** : Copper
- **Insulation Cover** : PP V2 FR (Blue / Black)
- **Terminal Sections** : 16 mm² - 13 Pin

■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)


■ Cable Gland Brass Plate



- The Brass Plate are use for Street Light Cut Out extension boxes Brass Plate have available One Way, Two Way and Three Way External and Internal.

- **Material** : Brass
- **Hole Size** : 20mm, 25mm or 28mm
- **Finished** : Natural or Nickel Plated.

■ Copper Submersible Rings




- The Copper Lamination Ring are used in submersible motor pump. These Ring have used EC Grade Copper for vareious type of the design like a (Round,Square...) Installing a motor pump of V3,V4,V5,V6,V8.

- **Material** : Copper
- **Finished** : Natural

■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)

■ Copper Electrical Fuse Contacts Parts



- The Copper Sheet Fuse kit kat parts is widely use in the market for having Outstanding performance and custom-designs. All these products are highly demanded for having features like long durability.

- **Material** : Copper or Brass
- **Size** : 63Amp To 400Amp
- **Finished** : Nickel, Tin, Silver Plated

■ Copper Electrical Fuse Contacts Parts



- The Copper Sheet HRC Fuse Parts is widely use in the market for having Outstanding performance and custom-designs. All these products are highly demanded for having features like long durability

- **Material** : Copper or Brass
- **Size** : 63Amp To 400Amp
- **Finished** : Nickel, Tin, Silver Plated

■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)

■ Brass And Copper Sheet Cutting Parts



- The Brass And Copper Sheet Cutting Parts are made from very high quality raw material which ensures hassle free work performance at its user end. These Brass And Copper Sheet Cutting Parts are widely found in various industrial sectors.

- **Material** : Brass, Copper, Aluminum, Steel
- **Design** : As per customer's drawing.
- **Finished** : Natural, Nickel, Tin, Silver, Zinc Plated

■ Brass Washers Copper washers




- We are a manufacturer of brass, copper washers widely used in the market.
- We have available various types of designed washers.

- **Material** : Brass, Copper, Aluminum, Steel
- **Size** : M2mm to M50mm
- **Thickness** : 0.3mm to 6.0mm
- **Finished** : Natural, Nickel, Tin, Silver, Zinc Plated

■ Sheet Metal Components (Brass, Copper, Aluminum, Bronze, Steel)

■ Insulation Preation Connector



- Made from High-Conductivity copper & aluminium

RUN	TAP
1/0 - 8 AWG (50 - 6 mm ²)	2 - 8 AWG (35 - 6 mm ²)
4/0 - 1/0 AWG (95 - 50 mm ²)	1/0 - 6 AWG (50 - 16 mm ²)
4/0 - 1/0 AWG (95 - 50 mm ²)	4/0 - 1/0 AWG (95 - 50 mm ²)
350 - 4/0 AWG (185 - 95 mm ²)	4/0 - 1/0 AWG (95 - 6 mm ²)
350 - 4/0 AWG (185 - 95 mm ²)	350 - 4/0 AWG (185 - 95 mm ²)
500 - 350 kcmil (240 - 185 mm ²)	4/0 - 4 AWG (95 - 25 mm ²)

■ Electric Holder Parts

■ B-22 Holder



■ B-22 Holder



■ B-22 Holder





■ B-22 Holder Ring



- We are leading manufacturer of electrical holders accessories.
- These parts using for Batten, Angel, Pendant Holders technology; these bulb holders find extensive use in Industrial and House.
- Owing to their good electrical conductivity and wear & tear resistance, these are widely demanded in the domestic market. Our quality norms are strictly exercised right from the raw material procurement stage till the dispatch of finished products keeping up with the Quality.



 Gokulnagar Main Road, Tirupati Industrial Area,
Opp. Fortune Hotel, 150 Feet Ring Road,
Rajkot - 360 004 (GUJARAT) INDIA.

 info@dhyeyindustries.com | dhyeyindustries@gmail.com
 www.dhyeyindustries.com